

Pasagshak River Salmon Weir Operational Plan, 2012

by

Mark J. Witteveen









Symbols and Abbreviations

The following symbols and abbreviations, and others approved for the Système International d'Unités (SI), are used without definition in the following reports by the Divisions of Sport Fish and of Commercial Fisheries: Fishery Manuscripts, Fishery Data Series Reports, Fishery Management Reports, and Special Publications. All others, including deviations from definitions listed below, are noted in the text at first mention, as well as in the titles or footnotes of tables, and in figure or figure captions.

Weights and measures (metric)	,	General		Mathematics, statistics		
centimeter cm		Alaska Administrative		all standard mathematical		
deciliter	dL	Code	AAC signs, symbols and			
		all commonly accepted	abbreviations			
gram hectare	g ha	abbreviations	e.g., Mr., Mrs.,	alternate hypothesis	TT	
		abbreviations	AM, PM, etc.	• • • • • • • • • • • • • • • • • • • •	H_A	
kilogram	kg	all commonly accepted	AM, PM, etc.	base of natural logarithm	e CDLIE	
kilometer	km	• •	o o Du Dh D	catch per unit effort	CPUE	
liter	L	professional titles	e.g., Dr., Ph.D.,	coefficient of variation	CV	
meter	m	-4	R.N., etc.	common test statistics	$(F, t, \chi^2, etc.)$	
milliliter	mL	at	w	confidence interval	CI	
millimeter	mm	compass directions:	P.	correlation coefficient	_	
		east	E	(multiple)	R	
Weights and measures (English)	- 2 -	north	N	correlation coefficient		
cubic feet per second	ft ³ /s	south	S	(simple)	r	
foot	ft	west	W	covariance	cov	
gallon	gal	copyright	©	degree (angular)	0	
inch	in	corporate suffixes:		degrees of freedom	df	
mile	mi	Company	Co.	expected value	E	
nautical mile	nmi	Corporation	Corp.	greater than	>	
ounce	OZ	Incorporated	Inc.	greater than or equal to	≥	
pound	lb	Limited	Ltd.	harvest per unit effort	HPUE	
quart	qt	District of Columbia	D.C.	less than	<	
yard	yd	et alii (and others)	et al.	less than or equal to	\leq	
		et cetera (and so forth)	etc.	logarithm (natural)	ln	
Time and temperature		exempli gratia		logarithm (base 10)	log	
day	d	(for example)	e.g.	logarithm (specify base)	log _{2,} etc.	
degrees Celsius	°C	Federal Information		minute (angular)	,	
degrees Fahrenheit	°F	Code	FIC	not significant	NS	
degrees kelvin	K	id est (that is)	i.e.	null hypothesis	H_0	
hour	h	latitude or longitude	lat. or long.	percent	%	
minute	min	monetary symbols		probability	P	
second	S	(U.S.)	\$, ¢	probability of a type I error		
		months (tables and		(rejection of the null		
Physics and chemistry		figures): first three		hypothesis when true)	α	
all atomic symbols		letters	Jan,,Dec	probability of a type II error		
alternating current	AC	registered trademark	®	(acceptance of the null		
ampere	A	trademark	TM	hypothesis when false)	β	
calorie	cal	United States		second (angular)	"	
direct current	DC	(adjective)	U.S.	standard deviation	SD	
hertz	Hz	United States of		standard error	SE	
horsepower	hp	America (noun)	USA	variance	SE.	
hydrogen ion activity	рH	U.S.C.	United States	population	Var	
(negative log of)	PII		Code	sample	var	
parts per million	ppm	U.S. state	use two-letter	Sumple	vui	
parts per thousand	ppiii ppt,		abbreviations			
parts per tilousand	ррі, ‰		(e.g., AK, WA)			
volts	V					
watts	V W					
waus	VV					

REGIONAL INFORMATION REPORT 4K12-08

PASAGSHAK RIVER SALMON WEIR OPERATIONAL PLAN, 2012

by
Mark J. Witteveen
Alaska Department of Fish and Game, Division of Commercial Fisheries, Kodiak

Alaska Department of Fish and Game Division of Sport Fish, Research and Technical Services 333 Raspberry Road, Anchorage, Alaska, 99518-1565 The Regional Information Report Series was established in 1987 and was redefined in 2006 to meet the Division of Commercial Fisheries regional need for publishing and archiving information such as project operational plans, area management plans, budgetary information, staff comments and opinions to Board of Fisheries proposals, interim or preliminary data and grant agency reports, special meeting or minor workshop results and other regional information not generally reported elsewhere. Reports in this series may contain raw data and preliminary results. Reports in this series receive varying degrees of regional, biometric, and editorial review; information in this series may be subsequently finalized and published in a different department reporting series or in the formal literature. Please contact the author or the Division of Commercial Fisheries if in doubt of the level of review or preliminary nature of the data reported. Regional Information Reports are available through the Alaska State Library and on the Internet at: http://www.adfg.alaska.gov/sf/publications/.

Mark J. Witteveen Alaska Department of Fish and Game, Division of Commercial Fisheries 211 Mission Road, Kodiak, AK 99615, USA

This document should be cited as:

Witteveen, M. J. 2012. Pasagshak River salmon weir operational plan, 2012. Alaska Department of Fish and Game, Regional Information Report 4K12-08, Kodiak.

The Alaska Department of Fish and Game (ADF&G) administers all programs and activities free from discrimination based on race, color, national origin, age, sex, religion, marital status, pregnancy, parenthood, or disability. The department administers all programs and activities in compliance with Title VI of the Civil Rights Act of 1964, Section 504 of the Rehabilitation Act of 1973, Title II of the Americans with Disabilities Act (ADA) of 1990, the Age Discrimination Act of 1975, and Title IX of the Education Amendments of 1972.

If you believe you have been discriminated against in any program, activity, or facility please write: ADF&G ADA Coordinator, P.O. Box 115526, Juneau, AK 99811-5526

U.S. Fish and Wildlife Service, 4401 N. Fairfax Drive, MS 2042, Arlington, VA 22203

Office of Equal Opportunity, U.S. Department of the Interior, 1849 C Street NW MS 5230, Washington DC 20240

The department's ADA Coordinator can be reached via phone at the following numbers:

(VOICE) 907-465-6077, (Statewide Telecommunication Device for the Deaf) 1-800-478-3648, (Juneau TDD) 907-465-3646, or (FAX) 907-465-6078

For information on alternative formats and questions on this publication, please contact: ADF&G Division of Sport Fish, Research and Technical Services, 333 Raspberry Road, Anchorage AK 99518 (907) 267-2375.

TABLE OF CONTENTS

	rage
LIST OF FIGURES	ii
ABSTRACT	1
INTRODUCTION	1
OBJECTIVES	2
TASKS	2
SUPERVISION AND TRAINING	3
PROCEDURES	4
Tasks	4
Prior to Opening Camp	4
Weir Installation	4
Weir Operation	5
Weir Maintenance	6
Weir Removal	6
Escapement Sampling	7
Subsistence Fishery Sampling	7
OTHER REQUIREMENTS	7
Daily Contact Schedule	7
Daily Forms	7
Time Sheets	7
Season Summary Report	8
ADDITIONAL GUIDELINES AND PROCEDURES	8
Camp Policies	8
Food and Supplies	8
Visitors/Public Interaction	8
Garbage	8
First Aid and Fire Safety	9
Drinking Water	9
All-Terrain Vehicles	9
Maintenance	9
Compliance with ADF&G Regulations	9
Violations	9
Emergencies	10
REFERENCES CITED	11
FIGURES	13

LIST OF FIGURES

Figure		Page
1.	Map depicting the location of Pasagshak River Weir, 2012	14
2.	Aerial view of Pasagshak River State Recreation Area	15
3.	Historical estimated sockeye salmon escapement and sport and subsistence harvest at Pasagshak Rive	r16
4.	Historical sockeye salmon subsistence harvest estimates for three important subsistence systems near	
	the City of Kodiak.	17
5.	Pasagshak weir construction showing tripod counting gate, and sign placement.	18
6.	Pasagshak weir showing bank, stream gauge, and trap placement	19
7.	An example of an upstream live trap.	20
8.	Subsistence fishery interview form.	21
9.	Daily weir counting form.	22
10.	Daily physical observation form.	
11.	Weekly weir camp reporting form.	24

ABSTRACT

From 2011 to 2013, sockeye salmon *Oncorhynchus nerka* escapement through the Pasagshak River into Lake Rose Teed on the Kodiak road system will be estimated with a weir. The Alaska Department of Fish and Game (ADF&G), Division of Commercial Fisheries will operate the aluminum picket and wood tripod salmon weir near the mouth of Lake Rose Teed. Age, sex, and length (ASL) information will be gathered from sockeye salmon captured at the weir. Subsistence fishing activity will be observed and ASL information will be gathered from subsistence catch. This information will assist ADF&G staff in determining appropriate escapement levels into Lake Rose Teed and to more effectively monitor the timing, health, and productivity of Lake Rose Teed sockeye salmon. This operational plan will provide seasonal employees a reference document in order to run the field camp effectively, operate the weir, and live safely at the remote site during the 2012 season.

Key words: Lake Rose Teed, Pasagshak River, sockeye salmon, *Oncorhynchus nerka*, weir, escapement, Kodiak Management Area, KMA, field camp operational plan.

INTRODUCTION

The Pasagshak River, located on the Kodiak road system (Figures 1 and 2), has recently supported the largest sockeye salmon *Oncorhynchus nerka* subsistence fishery for Kodiak Island residents (J. Shaker, Fish and Wildlife Technician III, ADF&G, Kodiak, unpublished data; Figures 3 and 4). During the past decade, subsistence harvest of Pasagshak River sockeye salmon has steadily increased while escapement estimates have diminished, especially during 2009 and 2010. Previous escapement enumeration methodology provides only postseason estimates via aerial and foot surveys of the spawning grounds, making inseason subsistence and sport fisheries management impossible and refinement of an escapement goal for this stock problematic. A conventional aluminum picket weir will be constructed near the outlet of the lake in 2012 (similar as it was in 2011) and will provide timely and accurate escapement information, enabling inseason management adjustments and more precise evaluation of the escapement goal to maintain the sustainability of this important subsistence, commercial, and sport salmon run.

The Pasagshak River is located on the northeast side of Kodiak Island and is accessible by car from the city of Kodiak (Figure 1). Lake Rose Teed, which drains into the Pasagshak River, is a small, shallow lake (0.94 km²; 2.1 m average depth). Prior to the 1964 earthquake and subsequent tsunami, Lake Rose Teed had little salmon rearing habitat; however, the earthquake lowered the elevation of the lake, allowing nutrient rich marine water to enter the lake during high tide cycles and dramatically increasing the salmon rearing potential (Murray 1986). Pasagshak River State Recreational Site is the only designated park land outside of the immediate city area and still within the road system (Figure 2). The mouth of the Pasagshak River is also a prehistoric native settlement site.

Since 1968, Pasagshak River salmon escapement has been estimated post-season using both aerial and foot surveys of the spawning grounds. Although annual survey counts have been highly variable, sockeye salmon production has generally increased since that time (Figure 3). The current escapement goal for Pasagshak River sockeye salmon is a lower-bound SEG of 3,000 fish (Nemeth et al. 2010). Because surveys ideally take place on the spawning grounds, estimates of the escapement are not made until well after the fish escape the subsistence, sport, and commercial fisheries. Since escapement estimates cannot be made inseason, no management action to regulate harvests is possible and overharvest can occur but not be detected until any action is too late.

Subsistence harvest of this salmon stock has been generally increasing since subsistence records were initiated in 1986. From 2008 to 2011, the Pasagshak River was the largest subsistence salmon fishery in the Kodiak Management Area (KMA) (Figure 4; J. Shaker, Fish and Wildlife Technician III, ADF&G, Kodiak, unpublished data). During recent years, two other significant sockeye salmon runs near the City of Kodiak, Afognak and Buskin lakes, have experienced significant reductions in run size, restricted fishing opportunities and, during some years, total subsistence fishing closures (Baer et al. 2009; Dinnocenzo 2010; Dinnocenzo et al. 2010; Jackson et al. 2010). Such restrictions on those stocks can displace users to other systems (Magdanz et al. 2003), leading to concern that Pasagshak River sockeye salmon will incur increased harvest pressure while ADF&G is unable to monitor escapement inseason.

There is little directed commercial fishing effort on Pasagshak River sockeye salmon. Some Pasagshak River fish are likely harvested by commercial fishermen while fishing for nearby Saltery River sockeye salmon. While harvest levels are unknown, they are likely low as the fishery in front of the Saltery River is further inside Ugak Bay than Pasagshak River. Sport harvests are substantially smaller in magnitude than subsistence harvests, but appear to track the same trends and likely vary due to similar factors as the subsistence fishery (Figure 3).

Timely inseason estimates of Pasagshak River sockeye salmon escapement will be possible through installation of a weir near the outlet of Lake Rose Teed. The escapement data obtained by use of a weir, coupled with age, sex, and length (ASL) data, will provide dependable, timely estimates of stock productivity and sockeye salmon run size. Accurate run data coupled with ASL data could also be used to refine the current escapement goal.

In addition to the installation and annual operation of escapement monitoring techniques, important information on subsistence and sportfish effort at the Pasagshak River can be obtained through harvester interviews conducted by ADF&G technicians. ASL data obtained from subsistence harvests will augment ASL data obtained from weir traps, and provide valuable information on the harvest composition, size selectivity, and magnitude relative to escapement.

This operational plan is a reference and guiding document for the field staff, so that they understand what is expected of them to effectively accomplish the required tasks and duties of the project. Project activities at Pasagshak River weir will include installation and maintenance of a weir and the collection of biological samples (i.e., scales for age, sex, and length).

OBJECTIVES

- 1. Census passage of Pasagshak River system sockeye salmon escapement from June 10 to August 15.
- 2. Estimate the age, sex, and length (ASL) composition of sockeye salmon escapement into Lake Rose Teed.
- 3. Describe inseason harvest, timing, ASL, and effort of subsistence fisheries (and sport fisheries if samples are available) for Pasagshak River sockeye salmon.

TASKS

1. A tripod and aluminum picket weir will be constructed and installed at a suitable location approximately 0.5 miles from the outlet of Lake Rose Teed. The aluminum pickets are already constructed as part of a different ADF&G project and can be used for this project.

- 2. The project leader will train technicians in proper species identification of sockeye, pink *O. gorbuscha*, chum *O. keta*, and coho salmon *O. kisutch* and Dolly Varden *Salvelinus malma*, the species expected to be encountered at the weir. Technicians will monitor the weir daily between approximately 7:00 AM and 10:00 PM and enumerate salmon by species by visually enumerating them through a counting gate built into the weir and record the counts with tally counters. Escapement counts will be reported to the project leader on a daily basis.
- 3. A trap will be constructed as part of the weir and will enable weir technicians to sample 240 sockeye salmon per statistical week for ASL. The "preferred scale" (located on the left side of the fish, two rows above the lateral line on the diagonal from the posterior insertion of the dorsal fin to the anterior insertion of the anal fin) will be removed with forceps and mounted on a gum card. The sex and length of the fish (fish length in millimeters from mid eye to tail fork) will be recorded to rugged digital assistants and the data will be downloaded to laptop computers daily. Ideally, 80 samples will be collected each Wednesday, Friday, and Monday. If it is obvious to the crew leader that following this strategy will result in failure to obtain the desired 240-sample size per week, scheduling adjustments will be made to meet sampling goals.
- 4. Scales will be read for age composition by the crew leader post season. These samples provide the foundation for escapement goal evaluation and measurement of sockeye salmon productivity within Lake Rose Teed and its tributaries.
- 5. Document traditional areas of subsistence harvest and level of effort at Pasagshak River. ADF&G technicians will opportunistically contact sockeye salmon subsistence fishermen on the fishing grounds in front of the Pasagshak River, and alternatively at the Pasagshak State Recreation Area boat landing. Following a set of brief introductory remarks by the technician, all subsistence users who agree to be interviewed will be asked a short series of questions to determine their traditional subsistence fishing location(s) (e.g., Pasagshak River, Buskin River or elsewhere), likely location of subsistence fishing in the near future, and level of effort at Pasagshak River. An effort will be made to conduct interviews in a weekly quantity proportional to subsistence effort. It is anticipated that approximately 150 such interviews will be conducted throughout the duration of the subsistence fishery, providing a representative sample of subsistence effort.
- 6. The sockeye salmon harvested by interview participants will be sampled for ASL data if the fish are available to sample. These data will be used to test whether age and sex compositions of subsistence sockeye salmon harvests are similar to age and sex compositions of sockeye salmon passing the weir so the entire run can accurately be reconstructed. The total Pasagshak River subsistence harvest will be estimated returns of completed permits received by the Westward Region Division of Commercial Fisheries office when those data are available. Annual return rates of completed permits are usually between 85 and 90% of participants. (J. Shaker, Fish and Wildlife Technician III, ADF&G, Kodiak, personal communication)

SUPERVISION AND TRAINING

The project biologist, Mark Witteveen, will be responsible for project supervision, which will include: providing training, oversight, logistical, and technical support for the camp operation. The two crew members will be responsible for establishing work schedules, prioritizing daily

work assignments, and supervising camp duties. They are also responsible for ensuring that accurate, complete, and well-organized data are collected, as well as ensuring safety.

PROCEDURES

TASKS

1. Open camp and install weir.

Target date: June 10.

2. Enumerate salmon escapement through Pasagshak River weir.

Target dates: June 10-August 14.

3. Collect approximately 240 ASL samples from the sockeye salmon escapement per week if sufficient numbers are available.

Target dates: June 10-August 14.

4. Collect physical data daily: air and water temperature, and weather observations.

Target dates: June 10-August 14.

- 5. Communicate daily with Kodiak ADF&G personnel by cellular telephone.
- 6. Inventory and secure Pasagshak River weir camp and close down for the season. Target Date: August 15.

PRIOR TO OPENING CAMP

The crew is required to read and follow this document, the escapement sampling operational plan (Foster et al. 2012), and the following State Operational Plans: Safety Policy Standards, Building Safety, Field Camp Safety, Aircraft Passenger Safety, Emergency Survival Equipment Required in Aircraft, Vehicle Safety, Small Tool Handling, Firearm and Bear Safety. All crew members are required to have current certification in CPR and First Aid.

WEIR INSTALLATION

Pasagshak River weir will be approximately 150 feet long.

- 1. Align the first and last tripods on either side of the river perpendicular to the river flow.
- 2. String a taught line (use seine twine) across the river attached to the front of the two tripods. Move the remaining tripods in place with the back legs touching the adjacent tripod and the front leg barely touching the taught line. Square the tripods perpendicular to the upstream river flow. The last tripod may have to be further adjusted for correct tripod spacing.
- 3. Fine tune tripod spacing and leveling. Level each tripod by digging under the highest rear leg to level it out. Leveled tripods make it easier to install and level the boardwalk. Place a minimum of ten sandbags on each tripod platform.
- 4. Install the entire boardwalk shiplap on the posterior portion of the tripod arms; do not nail it down until it is all leveled. Start at one end of the weir laying a 2" x 12" x 12' board across the first set of tripod arms ensuring it rests on the next consecutive tripod arm. Continue laying out the boardwalk the length of the weir (Figure 5).
- 5. Level the boardwalk with spacers or leveling blocks nailed to the tripod arm and fine tune the straightness of the boardwalk. Toenail the boardwalk to tripod arms and toenail the boards that overlap one another together with 16d duplex nails. Make sure the end of each individual board rests on a tripod arm.

- 6. Install upper and lower stringers in an alternating pattern across all tripods. At both stream banks drive the upper and lower stringers partially into the stream bank for stability or sand bag them in place if the bank isn't steep enough.
- 7. Begin installing weir panels at one bank. Lay each panel flat against the stringers with the base of the panel up off the riverbed approximately 10 inches. Rake and dig a channel in the river bottom to set the panel into. Once a channel is dug, set the panel into the channel and make sure it is straight and level. Next, backfill the channel with stream gravel and rock to ensure it is fish tight. The first (and last) panel may require minute bank modifications and sandbags to fill gaps. Continue setting weir panels the length of the weir. Sand bags may need to be placed at the base of the panels to maintain a "fish tight" weir.
- 8. Don't forget to install two counting gate frames along with your weir panels. One of the gates is for counting and the other one is for the trap. The counting gate should be located in an area of the weir that is expected to have strong consistent flow at all tides and the area that is most likely to pass fish. The trap gate should be located in a similar location that is expected to be good for fish passage.
- 9. Install flash panels in front of and against the counting gate on the river bottom and weigh down with large rocks or sandbags.
- 10. Install a line of sandbags along the bottom in front of the panels to prevent scouring.
- 11. Use lag bolts to attach "Telespar" across the front of the panels, bolting into the front leg of the tripods. Use two rows of telespar across the deepest sections of water.
- 12. Install "keep off weir" sign, stream gauge, and counting seats (Figures 5 and 6).
- 13. Inspect your work. Walk along the front of the weir backfilling the base of panels where necessary to ensure the weir is fish tight.
- 14. Install the upstream fish trap at the other gate using six foot panels to form a "box" on the upstream side of the gate with entrance deflectors to restrict fish passage to a small area (Figure 7). Use wire or tie straps to affix the sides, front, and deflectors together. Use additional panels or vexar fill in the triangular opening between the trap and front of weir. Backfill gravel at the bottom of all panels to ensure the trap is fish tight.

WEIR OPERATION

- 1. Monitor the weir throughout the day to pass fish. Mornings and evenings are expected to be the best times for fish passage, but passage may be highly dependent on tides. Crew members will organize a schedule of counts relative to river conditions or rate of salmon passage. Counting schedules will likely change throughout the season due to the changes in the tidal cycle. If fish readily pass on a given count, the subsequent count should not be more than two or three hours later. If fish are reluctant to pass, the subsequent can be as long as four hours later. If water conditions such as strong upstream current or high debris load threaten the integrity of the weir, check it more often.
- 2. If you don't have experience identifying fish, your project leader or designee will train you to visually recognize the different salmon species and their swimming patterns. When fish have accumulated behind the weir, take time to visually study them and note differences as they pass through the weir.

- 3. Begin counting fish by opening a gate and enumerating with handheld tally counters, one for each species. Regulate the gate opening by using a wedge to lock the gate into position. If you open the gate too far, fish may pass through quickly and you will not be able to accurately count and identify them. Monitor escapement quality, including the numbers of net-marked, "jack" (salmon ≤400 mm mideye to tail fork) sockeye salmon, occurrence of fungus on fish, and number of fish with seal bites.
- 4. If a counting gate will not open, it is probably locked up by gravel or a rock wedged into the framework. Do not attempt to force the gate, or the entire framework may pull out of place along with the flash panel. Free up the gate by inspecting for wedged rock or gravel and removing it with your fingers or a fish pew.
- 5. When counting fish and conducting surveys, wear polarized glasses for greater visual recognition and eye protection from the sun's reflection off of the water.
- 6. Periodically check your tally counters to ensure they are working properly.
- 7. When finished counting make sure the counting gate is closed completely.

WEIR MAINTENANCE

- 1. The weir must be cleaned and inspected daily. Debris build up on the weir may cause poor water flow, leading to scouring at the base of weir panels and weir washout during periods of high water.
- 2. Cleaning the weir includes getting into the river to remove sticks, logs, leaves, grass, gravel, fish carcasses, and garbage.
- 3. Throw all debris (except garbage) over the weir.
- 4. Inspect the weir to ensure it is fish tight, look for scoured holes, panels out of place, gaps between panels (greater than a fingers width), sandbags that have been pushed off of tripods by bears, and make sure flash panels are in place and secure. Make repairs if needed.
- 5. Make sure the framework of the weir is sound and secure. If you find any of the boardwalks loose or any section or parts of the weir broken by bears or unsafe, repair them immediately.
- 6. If the water level increases to the point where the bottom of the sandbags on the tripod platform are in the water, weir panels and the trap will need to be pulled to avoid a weir wash out. If a weir wash out is possible, closely monitor fish build-up below the weir for fish pass estimation. If pulling the weir is needed pull the trap and the gates (keeping the weir clean also lowers the water level). If the visibility allows, count fish passing through the gates. If the water level continues to rise, pull panels from the center of the weir or where the current is the greatest.
- 7. Keep bears and ungulates away and off of the weir as much as possible to minimize damage.
- 8. Do not allow members of the public to walk on to the weir.

WEIR REMOVAL

- 1. Remove counting seats, stream gauge, and "keep off weir" signs.
- 2. Cut and remove all seine twine or cable ties attaching the weir panels to the upper stringers.
- 3. Remove all weir panels, counting gates, and flash panels.

- 4. Remove all upper and lower stringers.
- 5. Remove most (leave two or three depending on water flow) sandbags from tripods.
- 6. Remove all duplex nails securing the boardwalk and then move all sections of the boardwalk.
- 7. Remove all remaining sandbags and tripods.
- 8. Remove all sandbags from the river.

ESCAPEMENT SAMPLING

Throughout the season, sample sockeye salmon passing through the trap at Pasagshak River weir for ASL data. If fish are available, sample 240 sockeye salmon weekly during the season for ASL. The exact number of samples collected will be dependent on the run strength. Refer to Foster et al. (2012) for procedures on how to sample adult salmon properly. Ask the project supervisor if you have any questions.

SUBSISTENCE FISHERY SAMPLING

Quantify the amount of subsistence gillnet fishing effort that takes place in the ocean daily. At a minimum of three times per week, attempt to contact fishermen as they finish fishing for the day and document their fishing location, effort, and harvest levels. Request access to subsistence-caught fish to gather ASL data. Sample up to 80 fish per day or at least 240 fish per week as available. Fill out a *Subsistence Fishery Interview Form* (Figure 8).

OTHER REQUIREMENTS

DAILY CONTACT SCHEDULE

Field camp crews are required to contact ADF&G Kodiak Research office personnel daily. Unless otherwise agreed upon, Pasagshak River weir personnel will contact Research Staff (Primarily Mark Witteveen) at 907-942-2233 by cell phone or landline at 907-486-1830 between 0845 and 0900 hours (8:45–9:00 AM) Monday through Friday. During the weekend (Saturday and Sunday) contact should be made at 1315–1330 (1:15–1:30 PM) hours. If contact cannot be made, Kodiak ADF&G office personnel will contact the camp as soon as possible.

DAILY FORMS

Any crew member who counts fish through the weir will immediately fill in the counts on the *Daily Weir Counting Form* (Figure 9). A crew member will fill out a *Daily Physical Observation Form* (Figure 10), a *Weekly Weir Camp Reporting Form* (Figure 11), and maintain a camp log ("rite in the rain" booklet) every day. The *Weekly Weir Camp Reporting Form* includes daily escapement data that occurred during the past week and total cumulative counts that are continued from previous weeks.

TIME SHEETS

Each crew member will fill out a timesheet by the 15th and the last day of each month. Each crew member is responsible for keeping an accurate record of their work hours. Time sheets need to be sent into town when the camp is re-supplied. Field crew must plan ahead to ensure that timesheets are completed prior to re-supply. If unusual circumstances arise that require overtime, the crew leader must notify the project leader immediately.

SEASON SUMMARY REPORT

The crew leader is responsible for writing a brief end of season summary report. The report will summarize weekly activities, sampling, problems with the weir, an inventory of tools and supplies, and suggested improvements or needs for the next field season. Keep a daily log of project activities in the camp log for reference.

ADDITIONAL GUIDELINES AND PROCEDURES

CAMP POLICIES

- Alcoholic beverages are not to be stored or consumed in areas open to public view. If alcohol is consumed at a camp the employee must be 21 years of age or older and off work without any duty scheduled for the remainder of the day and under no circumstances shall he or she engage in the operation of any State equipment, nor shall he or she return to duty status under the influence of alcohol. The abuse of alcoholic beverages will be grounds for immediate dismissal.
- All employees will be required to act in a professional manner at all times and be especially courteous to the public.
- Injuries must be reported to the project supervisor immediately.
- Loss or damage of equipment must be reported to the project supervisor within 24 hours.

FOOD AND SUPPLIES

Field crews will purchase all essential items prior to leaving Kodiak. One crew member can return to the City of Kodiak at a time to purchase food and supplies. Please attempt to keep trips to a minimum, on the order of once per week. Communicate with the project leader as to when a trip to town is scheduled. The camp may also be resupplied by staff headed out to the Pasagshak River, so maintain a list of needed items so you can pass it along to the Project Supervisor before other personnel travel to the weir site.

Alcoholic beverages, personal grooming supplies, newspapers, magazines, and tobacco must be purchased with personal funds.

VISITORS/PUBLIC INTERACTION

The weir site will get many visitors. Visitors come by the weir site to watch fish passing through the weir and ask about fish passage. Keep the weir site clean and be courteous and helpful to visitors, but also inform them of the boundaries. The general public is not allowed to access the weir. Make sure the "keep off weir" sign is posted in a visible location. Also, make sure the public is aware that there is a "No fishing" sanctuary 100 yards above and 100 yards below the weir. Ensure that those signs remain in place. Remember, your primary role is to operate and maintain the weir and accomplish the associated responsibilities of the project. Under no circumstance should any employee accept gratuities or payment.

GARBAGE

Maintain a clean camp to avoid attracting bears. Do not allow garbage to accumulate or leave it outside of the cabin.

FIRST AID AND FIRE SAFETY

All crew members will take a mandatory CPR and First Aid training course prior to going in the field. The project leader will ensure a fully stocked first aid kit and fully charged, operable fire extinguishers are in camp, and that all personnel know where they are located and how to use them. Make sure smoke and carbon monoxide alarms are installed and operational.

DRINKING WATER

Stream and lake water may be contaminated with bacteria or harmful parasites. Haul water from the State Park pump for drinking and cooking water. If clean water is not available, boil your drinking water for at least 10 minutes.

ALL-TERRAIN VEHICLES

The Pasagshak River weir camp may be furnished with an All-Terrain Vehicle (ATV; 4 wheeler). The ATV has been provided to transport materials and personnel from the cabin to the weir site. It is not intended for personal use or recreational purposes. The ATV may be accessed and operated only by trained personnel and will be secured when not in use. Be safety conscious at all times; do not speed or drive recklessly.

Unauthorized use of the ATV will result in a notation on your evaluation or your dismissal from employment.

A safety helmet must always be worn when riding the ATV.

MAINTENANCE

Facility maintenance is an important aspect of camp life; the cabin and weir must be kept structurally sound and safe. Discuss maintenance projects with the project leader. Provide a list of materials needed to accomplish the projects and repairs to your project leader. Repairs and maintenance should be scheduled on days when fish passage is slow to keep this work within normal work periods.

The ATV must be kept in good operating condition and will require regular maintenance. At the end of each season, equipment should be winterized and tagged with a description of the equipment's condition on the tag.

COMPLIANCE WITH ADF&G REGULATIONS

All employees are responsible for complying with local subsistence, sport fishing, and hunting regulations. Copies of State and Federal regulations will be available to all field camp personnel and kept in camp. Any violation will be recorded on your evaluation and may be cause for immediate dismissal.

VIOLATIONS

If a fishing violation is observed, all information pertaining to the violation should be recorded immediately and retained by the employee. The project leader must be notified. If you have a camera, record as much as possible.

The use of the five Ws can aid in obtaining sufficient information pertaining to a violation.

1. What is the violation?

- 2. When did the violation take place?
- 3. Where did the violation occur?
- 4. Who is in violation and who are the witnesses?
- 5. Why was the violation committed?

If the violator refuses to cooperate with an employee without enforcement authority, no action should be taken, other than to relay all information and evidence collected to the project leader.

EMERGENCIES

In the event of a medical emergency, administer first aid to stabilize the situation. If an injury is life threatening immediately call 911 or notify the US Coast Guard at **800-478-5555** on the telephone. The US Coast Guard can also be reached on SSB radio frequency 4.125 MHz or on VHF channel 16.

When contacting the U.S. Coast Guard, have the following information ready to pass along:

- Location of your field camp or specific location of the emergency (57°28'24.64"N, 152°27'47.12"W),
- Name and phone number of supervisor,
- General nature of medical emergency,
- Number of patients,
- Specific information regarding the patient (name, age, primary complaint, and vital signs),
- Your assessment and treatment,
- Wind and weather conditions, and
- Other information pertinent to a possible medical evacuation.

REFERENCES CITED

- Baer, R. T., S. T. Schrof, M. B. Foster, and S. G. Honnold. 2009. Stock assessment and restoration of the Afognak Lake sockeye salmon run, 2008. Alaska Department of Fish and Game, Fishery Data Series No. 09-37, Anchorage.
- Dinnocenzo, J. 2010. Kodiak Management Area commercial salmon fishery annual management report, 2008. Alaska Department of Fish and Game, Fishery Management Report No. 10-02, Anchorage.
- Dinnocenzo, J., G. Spalinger, and I. O. Caldentey. 2010. Kodiak Management Area commercial salmon fishery annual management report, 2009. Alaska Department of Fish and Game, Fishery Management Report No. 10-22, Anchorage.
- Foster, M. B., S. E. Thomsen, M. L. Moore, J. Estrada, and D. C. Ruhl. 2012. Salmon research operational plans for the Kodiak Area, 2012. Alaska Department of Fish and Game, Division of Commercial Fisheries, Regional Information Report 4K12-06, Kodiak.
- Jackson, J., J. Dinnocenzo, and G. Spalinger. 2010. Kodiak Management Area Commercial Salmon Fishery Annual Management Report, 2010. Alaska Department of Fish and Game, Fishery Management Report No. 10-47, Anchorage.
- Magdanz, J. S., S. Tahbone, K. Kamletz, and A. Ahmasuk. 2003. Subsistence salmon fishing by residents of Nome, Alaska, 2001. Alaska Department of Fish and Game. Technical Paper 274, Fishery Information Services Project 01.224.
- Murray, J. B. 1986. Annual Performance report for Pasagshak River Chinook Salmon Development. Alaska Department of Fish and Game, Division of Sport Fish, Anchorage.
- Nemeth, M. J., M. J. Witteveen, M. B. Foster, H. Finkle, J. W. Erickson, J. S. Schmidt, S. J. Fleischman, and D. Tracy. 2010. Review of escapement goals in 2010 for salmon stocks in the Kodiak Management Area, Alaska. Alaska Department of Fish and Game, Fishery Manuscript Series No. 10-09, Anchorage.

FIGURES





Figure 1.–Map depicting the location of Pasagshak River Weir, 2012.



Figure 2.—Aerial view of Pasagshak River State Recreation Area.



Note: In 2011, escapement was estimate via weir; prior to that escapement was estimated via aerial survey.

Figure 3.-Historical estimated sockeye salmon escapement and sport and subsistence harvest at Pasagshak River.




Figure 4.–Historical sockeye salmon subsistence harvest estimates for three important subsistence systems near the City of Kodiak.



Figure 5.—Pasagshak weir construction showing tripod counting gate, and sign placement.




Figure 6.-Pasagshak weir showing bank, stream gauge, and trap placement.



Figure 7.—An example of an upstream live trap.

Dally Pasagsnak Subsister	nce Fishery D	ata Sneet						
Date:	Personnel:							
Wx:								
Peak Estimate of Effort (Units of gear/boats)								
Fishermen Interviews]							
Fisherman Name (Optiona	l) Nu	umber of Nets	Mesh Mesh Size	Hours Fished	Number of Sockeye Number of Sockeye Salmon Caught	# Collected # Collected For ASL		Fish Fish #
					_			
Fishermen Name (Ontione) Ni	umber of Nets	Mesh	Llaura Fished	Number of Sockeye			Fish
Fisherman Name (Optiona		ZIEWI 10 IEGITIL	Size	Hours Fished	Salmon Caught	For ASL	#	#
			Mesh		Number of Sockeye	# Collected	Card	Fish
Fisherman Name (Optiona	l) Nu	umber of Nets	Size	Hours Fished	Salmon Caught	For ASL	#	#
Fisherman Name (Optiona	l) Nu	umber of Nets	Mesh Size	Hours Fished	Number of Sockeye Salmon Caught	# Collected For ASL	Card #	Fish #

Figure 8.—Subsistence fishery interview form.

Date: Personnel:

Cou	nt Time	Soc	keye	-			Dolly	Varden	Other
Count Begin	Count End	Adult	Jack	Pink	Chum	Coho	Up	Down	(# Net Marked)
Daily Cumulat	ive								

Figure 9.—Daily weir counting form.

Daily Physical Observation Form

Pasagshak River Weir, 2012

		Tempera	ture(°C)	Cloud	d Cover	Visibility	Wind		
Date	Time	Air	Water	Percent	Ceiling	(Miles)	Direction	Speed	Comments

Figure 10.–Daily physical observation form.

Pasagshak River Weir

Weekly V	Veir Camp Repo	orting Form
R	eport Number	

Personnel Escapement Subsistence Pinks Coho Number of Harvest # Sockeye Sockeye Chum Daily Cumulative Daily Daily Cum. Date Adults Jacks Cum. Cum. Sockeye Sampled Effort Interviews Sampled Tuesday Wednesday Thursday Friday Saturday Sunday Monday Total

Figure 11.-Weekly weir camp reporting form.